

# Massachusetts Petition:

## Eliminate Vaccination Requirements in Public Schools

This must end. The Massachusetts Citizens for Equal Opportunity is calling on the Massachusetts Legislature to end Massachusetts public schools' vaccination requirements. Please join us in this call to action.

### 1.7 Billion Paid out in Vaccine injury Claims

The Vaccine Injury Compensation Program (VICP) pay outs includes Influenza vaccine claims

### America's Healthcare System is the third Leading Cause of Death

225,000 Americans per year have died as a result of their medical treatments. 106,000 deaths per years due to negative effects of drugs, Barbara Starfield, M.D. (2000) <http://www.health-care-reform.net/causedeath.htm>

### U.S. Government Concedes Vaccine-Autism Case in Federal Court

After years of insisting there is no evidence to link vaccines with the onset of autism), the US government has quietly conceded a vaccine-autism case in the Court of Federal Claims. .

[http://www.huffingtonpost.com/david-kirby/government-concedes-vacci\\_b\\_88323.html](http://www.huffingtonpost.com/david-kirby/government-concedes-vacci_b_88323.html)

**USA Social Security Autism Recipients  
Pandemic Figures 2002-6**

85,000					XXXX
80,000					XXXX
75,000					XXXX
70,000				XXXX	XXXX
65,000				XXXX	XXXX
60,000				XXXX	XXXX
55,000			XXXX	XXXX	XXXX
50,000			XXXX	XXXX	XXXX
45,000		XXXX	XXXX	XXXX	XXXX
40,000	XXXX	XXXX	XXXX	XXXX	XXXX
	2002	2003	2004	2005	2006
	45,684	53,358	63,031	73,126	84,240

#### Unvaccinated Amish Children Don't Have Autism

Where are the autistic Amish? Here in Lancaster County, heart of Pennsylvania Dutch country, there should be well over 100 with some form of the disorder. I have come here to find them, but so far my mission has failed..."**The Age of Autism: The Amish anomaly** Apr. 18 (UPI) -- Dan Olmsted & researcher Kyle Pearson Amish, Lancaster, PA, [www.upi.com/science-news/2005/04/19/The\\_Age\\_of\\_Autism\\_The\\_Amish\\_Anomaly](http://www.upi.com/science-news/2005/04/19/The_Age_of_Autism_The_Amish_Anomaly)

#### 30,000 Unvaccinated Chicago children Don't Have Autism

Dr. Mayer Eisenstein, Homefirst's medical director: UPI – Chicago "We have about 30,000 or 35,000 children that we've taken care of over the years, I don't think we have a single case of autism in children delivered by us who never received vaccines.

[http://www.upi.com/Health\\_News/2005/12/07/The-Age-of-retty-big-secret/UPI-68291133982531/](http://www.upi.com/Health_News/2005/12/07/The-Age-of-retty-big-secret/UPI-68291133982531/)

### Vaccines are pharmaceutical products that carry risks of fatality and /or serious injuries

Associated with: seizures, anaphylaxis, high-pitched screaming and brain damage, **Auto-Immune** disorders, Sudden Infant Death Syndrome (**SIDS**), encephalopathy, allergies, Autism, asthma, diabetes

May Contain: deadly pathogens, cancer causing agents, SV40 & foreign DNA/RNA from animal tissues

May contain Metallic Neurotoxins & Carcinogens (i.e., mercury, aluminum, MSG)

**Thimerosal** / Mercury Vaccine Additive tested on Meningitis patients resulted in 100% fatalities

REP BURTON (R-IN) QUESTIONING DR. WILLIAM EGAN, FDA AT THE JUNE 6, 2002 CONGRESSIONAL HEARING

### Shame: Reason Practitioners Avoid Acknowledging Unsafe Treatments

During the discussion a practitioner stood up and said he simply could not, and would not, accept the findings, because admitting to his patients that he had been using an unsafe treatment would shame him in their eyes.

### U.S. Government know vaccines may be lethal, but require them of school children anyway.

The U.S. Government's Vaccine Injury Compensation Program compensates "individuals for serious physical injuries or **deaths** as a result of vaccines." <http://www.hrsa.gov/coutermeasurescomp/>

### Eli Lilly Seeks Government Immunization from Public Accountability.

Eli Lilly, which first developed thimerosal (mercury preservative), knew from the start that its product could cause damage - and even death - in both animals and humans. "Vaccinations: Deadly Immunity Robert F. Kennedy Jr." <http://www.robertfkennedyjr.com/articles.html> Senate Majority Leader Bill Frist, immunizes vaccine makers from Vaccine Injury liability Frist slipped (a) provision into an anti-terrorism bill that would deny compensation to children suffering from vaccine-related brain disorders \* Frist received \$873,000 in contributions from the pharmaceutical industry

### Compulsory vaccination has been abolished in England, Switzerland

while laws sustaining this crime still disgrace the statute books of many states in "free" U.S.

<http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5201a1.htm>

**TABLE 9. Nonserious and serious\* Vaccine Adverse Event Report System (VAERS)<sup>†</sup> reports — United States, 1991–2001**

Category	Year report received											
	1991		1992		1993		1994		1995		1996	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Nonserious total	8,703	(87.0)	9,380	(86.7)	8,875	(85.9)	8,810	(85.1)	8,835	(85.8)	9,783	(87.1)
Serious												
Patient died	167	(1.7)	228	(2.1)	235	(2.3)	236	(2.3)	159	(1.5)	152	(1.4)
Life-threatening illness	142	(1.4)	223	(2.1)	182	(1.8)	220	(2.1)	223	(2.2)	217	(1.9)
Required hospitalization	1,019	(10.2)	1,079	(10.0)	1,091	(10.6)	1,152	(11.1)	1,145	(11.1)	1,100	(9.8)
Resulted in prolongation of hospitalization	45	(0.4)	37	(0.3)	62	(0.6)	76	(0.7)	62	(0.6)	122	(1.1)
Resulted in permanent disability	172	(1.7)	151	(1.4)	182	(1.8)	243	(2.3)	189	(1.8)	227	(2.0)
Total	1,301	(13.0)	1,441	(13.3)	1,452	(14.1)	1,545	(14.9)	1,466	(14.2)	1,455	(12.9)
<b>TOTAL<sup>§</sup></b>	<b>10,004</b>	<b>(100.0)</b>	<b>10,821</b>	<b>(100.0)</b>	<b>10,327</b>	<b>(100.0)</b>	<b>10,355</b>	<b>(100.0)</b>	<b>10,301</b>	<b>(100.0)</b>	<b>11,238</b>	<b>(100.0)</b>

**TABLE 9 (Continued). Nonserious and serious\* Vaccine Adverse Event Report System (VAERS)<sup>†</sup> reports — United States, 1991–2001**

Category	Year report received											
	1997		1998		1999		2000		2001		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Nonserious total	10,123	(86.4)	9,225	(84.6)	11,120	(84.5)	13,147	(86.8)	12,420	(84.2)	110,421	(85.8)
Serious												
Patient died	176	(1.5)	172	(1.6)	180	(1.4)	213	(1.4)	224	(1.5)		
Life-threatening illness	212	(1.8)	246	(2.3)	369	(2.8)	279	(1.8)	306	(2.1)		
Required hospitalization	1,205	(10.3)	1,209	(11.1)	1,424	(10.8)	1,373	(9.1)	1,527	(10.4)		
Resulted in prolongation of hospitalization	163	(1.4)	415	(3.8)	322	(2.4)	62	(0.4)	91	(0.6)		
Resulted in permanent disability	258	(2.2)	313	(2.9)	420	(3.2)	428	(2.8)	594	(4.0)		
Total	1,588	(13.6)	1,673	(15.4)	2,037	(15.5)	2,006	(13.2)	2,332	(15.8)	18,296	(14.2)
<b>TOTAL<sup>§</sup></b>	<b>11,711</b>	<b>(100.0)</b>	<b>10,898</b>	<b>(100.0)</b>	<b>13,157</b>	<b>(100.0)</b>	<b>15,153</b>	<b>(100.0)</b>	<b>14,752</b>	<b>(100.0)</b>	<b>128,717</b>	<b>(100.0)</b>

\* According to the regulatory definition, serious adverse events involve hospitalization or prolongation of hospitalization, death, or reported life-threatening illness or permanent disability. Food and Drug Administration 21 CFR Part 600.80. Postmarketing reporting of adverse experiences. Federal Register 1997;62:52252–3.

<sup>†</sup> Serious categories are not mutually exclusive. One VAERS report may involve >1 serious category. The percentages for each serious category represent the proportion of the number of reports involved in that category among the total number of reports in each year.

<sup>§</sup> Total numbers of reports received in VAERS, by year (not the total of each column), which equal to the sum of the nonserious totals and the serious totals.

## CDC Knew Swine Flu Vaccines Associated with Neurological Disorders “60 Minutes With Michael Wallace Report” (1979)

<http://www.youtube.com/watch?v=VDXam8AGbJ4>

Wallace: Dr. Michael Hattfield's job at the CDC was to find possible neurological damage from the flu shots and report it to those in charge.

Hattfield: By review of the literature.

Wallace: Did you know ahead in time that there had been case reports of neurological disorders, neurological illness apparently associated with the influenza vaccine?

Wallace: So you told your superiors, the man in charge of the swine flu immunization program. About the possibility of neurological disorders?

Michael Hattfield, M.D: Absolutely.

Hattfield: Absolutely.

Mike Wallace: You did?

Wallace: What you tell me if I told you your superiors say you never told them about the possibility of neurological complications?

Hattfield: Yes

Wallace: How did you know that?

Hattfield: That's nonsense. I can't believe that they would say that they did not know that there were neurological illnesses associated with the influenza viruses. That's simply not true. We did know that.

# U.S. Government Yearly Compensation for Vaccine Injury


## VAERS Vaccine Compensation Statistics Report <sup>1</sup> July 7, 2009

[http://www.hrsa.gov/Vaccinecompensation/statistics\\_report.htm](http://www.hrsa.gov/Vaccinecompensation/statistics_report.htm)


Fiscal Year	Number of Awards	Petitioners' Award Amount
FY 1989	6	\$1,317,654.78
FY 1990	88	\$53,252,510.46
FY 1991	114	\$95,980,493.16
FY 1992	130	\$94,538,071.30
FY 1993	162	\$119,693,267.87
FY 1994	158	\$98,151,900.08
FY 1995	169	\$103,539,265.72
FY 1996	163	\$100,425,325.22
FY 1997	179	\$113,620,171.68
FY 1998	165	\$127,546,009.19
FY 1999	95	\$95,807,680.51
FY 2000	136	\$125,945,195.64
FY 2001	97	\$105,878,632.57
FY 2002	81	\$59,849,604.39
FY 2003	65	\$82,816,240.07
FY 2004	57	\$61,933,764.20
FY 2005	64	\$55,054,734.81
FY 2006	69	\$49,522,125.19
FY 2007	82	\$91,449,433.89
FY 2008	145	\$83,999,319.77
FY 2009	97	\$64,132,729.68
<b>Totals</b>	<b>2,322</b>	<b>\$1,784,454,130.18</b>

Infant Mortality Charts

Figure 2. Infant mortality rates: Selected countries, 2004



Comparison of International Infant Mortality Rates: 2000



# National Childhood Vaccine Injury Act

<ftp://ftp.hrsa.gov/vaccinecompensation/vaccineinjurytable.pdf>

<i>Vaccine Injury Table</i> <sup>a</sup> Vaccine	Adverse Event	Time Interval
Tetanus toxoid-containing vaccines (e.g., DTaP, Tdap, DTP-Hib, DT, Td, TT)	Anaphylaxis or anaphylactic shock Brachial neuritis Any acute complication or sequela (including death) of above events	0-4 hours 2-28 days Not applicable
Pertussis antigen-containing vaccines (e.g., DTaP, Tdap, DTP, P, DTP-Hib)	Anaphylaxis or anaphylactic shock Encephalopathy (or encephalitis) Any acute complication or sequela (including death) of above events	0-4 hours 0-72 hours Not applicable
Measles, mumps and rubella virus-containing vaccines in any combination (e.g., MMR, MR, M, R)	Anaphylaxis or anaphylactic shock Encephalopathy (or encephalitis) Any acute complication or sequela (including death) of above events	0-4 hours 5-15 days Not applicable
Rubella virus-containing vaccines (e.g., MMR, MR, R)	Chronic arthritis Any acute complication or sequela (including death) of above event	7-42 days Not applicable
Measles virus-containing vaccines (e.g., MMR, MR, M)	Thrombocytopenic purpura Vaccine-Strain Measles Viral Infection in an immunodeficient recipient  Any acute complication or sequela (including death) of above events	7-30 days 0-6 months Not applicable
Polio live virus-containing vaccines (OPV)	Paralytic polio in a non-immunodeficient recipient in an immunodeficient recipient in a vaccine assoc. community case Vaccine-strain polio viral infection in a non-immunodeficient recipient in an immunodeficient recipient in a vaccine assoc. community case Any acute complication or sequela (including death) of above events	0-30 days 0-6 months Not applicable 0-30 days 0-6 months Not applicable Not applicable
Polio inactivated-virus containing vaccines (e.g., IPV)	Anaphylaxis or anaphylactic shock Any acute complication or sequela (including death) of above event	0-4 hours Not applicable
Hepatitis B antigen-containing vaccines	Anaphylaxis or anaphylactic shock Any acute complication or sequela (including death) of above event	0-4 hours Not applicable
Hemophilus influenzae type b polysaccharide conjugate vaccines)	No condition specified for compensation	Not applicable
Varicella vaccine	No condition specified for compensation	Not applicable
Rotavirus vaccine	No condition specified for compensation	Not applicable
Pneumococcal conjugate vaccines	No condition specified for compensation	Not applicable
I. Any new vaccine recommended by the Centers for Disease Control and Prevention for routine administration to children, after publication by Secretary, HHS of a notice of coverage	No condition specified for compensation	Not applicable

## **Sudden Infant Death Syndrome (SIDS) Associated with Vaccines**

<http://www.informedchoice.info/DPT.html>

"Delay of DPT immunization until 2 years of age in Japan has resulted in a dramatic decline in adverse side effects. In the period of 1970-1974, when DPT vaccination was begun at 3 to 5 months of age, the Japanese national compensation system paid out claims for 57 permanent severe damage vaccine cases, and 37 deaths.

"During the ensuing six year period 1975-1980, when DPT injections were delayed to 24 months of age, severe reactions from the vaccine were reduced to a total of eight with three deaths. This represents an 85 to 90 percent reduction in severe cases of damage and death." -*Raymond Obomsawin, M.D.*

"These data show that DPT vaccination may be a generally unrecognized major cause of sudden infant and early childhood death, and that the risks of immunization may outweigh its potential benefits. A need for re-evaluation and possible modification of current vaccination procedures is indicated by this study." -*William C. Torch, M.D., Director of Child Neurology, Department of Pediatrics, University of Nevada School of Medicine*

<http://www.vaclib.org/basic/quotes.htm>

"My suspicion, which is shared by others in my profession, is that the nearly 10,000 SIDS deaths that occur in the United States each year are related to one or more of the vaccines that are routinely given children. The pertussis vaccine is the most likely villain, but it could also be one or more of the others." -*Dr. Mendelsohn, M.D.*

"The evidence for indicting immunizations for SIDS is circumstantial, but compelling. However, the keepers of the keys to medical-research funds are not interested in researching this very important lead to the cause of an ongoing, and possibly preventable, tragedy. Anything that implies that immunizations are not the greatest medical advance in the history of public health is ignored or ridiculed. Can you imagine the economic and political import of discovering that immunizations are killing thousands of babies?" --*Dr. Douglass M.D.*

"Only after realizing that routine immunizations were dangerous did I achieve a substantial drop in infant death rates. The worst vaccine of all is the whooping cough vaccine... it is responsible for a lot of deaths and for a lot of infants suffering irreversible brain damage. In susceptible infants, it knocks their immune systems about, leading to irreparable brain damage, or severe attacks or even deaths from diseases like pneumonia or gastro-enteritis and so on." --*Dr. Kalokerinos, M.D.*

-From <http://www.cdc.gov/epo/mmwr/preview/mmwrhtml/mm4827a1.htm>:

VAERS reported "11 developed intussusception within 1 week of receiving RRV-TV" out of 1.8 million doses administered, which is a rate of about 0.6 out of 100,000. Kaiser Permanente studied the rate for its patients and found that "Among children who had received RRV-TV during the previous week, the rate was 314 per 100,000 infant-years." Minnesota did a study in its state and found that "the observed rate of intussusception within 1 week of receipt of RRV-TV was 292 per 100,000 infant-years." Hence the actual rate of this adverse effect from the rotavirus vaccine was about **300/0.6 = 500 times the rate reported through VAERS!**

TELEGRAPH.CO.UK

## Homeless people die after bird flu vaccine trial in Poland

### Doctors and Nurses facing criminal prosecution

<http://www.telegraph.co.uk/news/worldnews/europe/poland/2235676/Homeless-people-die-after-bird-flu-vaccine-trial-in-Poland.html>

**Three Polish doctors and six nurses are facing criminal prosecution after a number of homeless people died following medical trials for a vaccine to the H5N1 bird-flu virus.**

By Matthew Day in Warsaw  
Published: 4:37PM BST 02 Jul 2008

21 people died after being given the vaccine

The medical staff, from the northern town of Grudziadz, are being investigated over medical trials on as many as 350 homeless and poor people last year, which prosecutors say involved an untried vaccine to the highly-contagious virus.

Authorities claim that the alleged victims received £1-2 to be tested with what they thought was a conventional flu vaccine but, according to investigators, was actually an anti bird-flu drug.

#### Related Articles

- [Polish Ponglish dialect arrives in England](#)

### Health Minister recommends Doctors & Nurses Punished

The director of a Grudziadz homeless centre, Mieczyslaw Waclawski, told a Polish newspaper that last year, 21 people from his centre died, a figure well above the average of about eight.

Although authorities have yet to prove a direct link between the deaths and the activities of the medical staff, Poland's health minister, Ewa Kopacz, has said that the doctors and nurses involved should not return to their profession.

Health Minister, Ewa Kopacz: "It is in the interests of all doctors that those who are responsible for this are punished," the minister added.

Investigators are also probing the possibility that the medical staff may have also have deceived the pharmaceutical companies that commissioned the trials. The suspects said that the all those involved knew that the trial involved an anti-H5N1 drug and willingly participated.

The news of the investigation will come as another blow to the reputation of Poland's beleaguered and poverty-stricken national health service. In 2002, a number of ambulance medics were found guilty of killing their patients for commissions from funeral companies.



## Thousands of Soldiers Sick Dying from Mystery Military Vaccines

**CLERMONT COUNTY, Ohio** Former Marine Claims Illness From Mystery Vaccine Military Source Believes Experimental Shots May Have Been Given POSTED: 3:03 pm EDT May 7, 2007 UPDATED: 6:53 pm EDT May 8, 2007 <http://www.wlwt.com/news/13271378/detail.html>

CLERMONT COUNTY, Ohio -- Target 5 has discovered that an alarming number of U.S. troops are having severe reactions to some of the vaccines they receive in preparation for going overseas.

When the issue, I believe, of the use of the vaccine comes out, I believe it will make the Walter Reed scandal pale in comparison," said the health officer...Asked whether servicemen and women are receiving experimental vaccines, the officer said, "I would hope to God not. But from what I've seen, I would have to say yes."

CLERMONT COUNTY, Ohio -- Target 5 has discovered that an alarming number of U.S. troops are having severe reactions to some of the vaccines they receive in preparation for going overseas.

"This is the worst cover-up in the history of the military," said an unidentified military health officer who fears for his job.

A shot from a syringe is leaving some U.S. servicemen and women on the brink of death.

"When the issue, I believe, of the use of the vaccine comes out, I believe it will make the Walter Reed scandal pale in comparison," said the health officer.

Lance Corporal David Fey, 20, has dialysis three days a week. His kidneys are failing, his military career is over, and he feels like his country abandoned him.

"I can't look at my old pictures. I really can't," said Fey. "I start looking at my old pictures, and I start crying."

Fey grew up amid the farm fields of Clermont County. "I never missed a day at school," he said. "I was never sick. I was never sick."

A passion for sports and a sense of patriotism prompted the Blanchester High School athlete to join the Marines the day he turned 18.

"I looked at every branch, but I wanted the Marine Corps, because the Marine Corps was the few and the proud," said Fey.

Fey said he loved every minute of boot camp and combat training at 29 Palms in California. But on Nov. 28, 2005, his life would change forever. Fey was one of a group of Marines who lined up for an undisclosed shot.

"They asked us our name. We stood on these yellow footprints, and they gave us this shot, and we got the rest of the day off," he recalled. "After that shot, I started swelling up. I gained 30 pounds of water. My eyes swelled up where I couldn't see. I started snoring. I developed a rash on my hand."

Three weeks later, Fey was back in Clermont County on his death bed at Clinton Memorial Hospital. His kidneys were failing, and his body was so swollen that it left stretch marks.

## **Baxter: Product contained live bird flu virus**

**By Helen Branswell, THE CANADIAN PRESS Last Updated: 27th February 2009, 3:26pm**  
<http://www.torontosun.com/news/canada/2009/02/27/8560781.html>

The company that released contaminated flu virus material from a plant in Austria confirmed Friday that the experimental product contained live H5N1 avian flu viruses. And an official of the World Health Organization's European operation said the body is closely monitoring the investigation into the events that took place at **Baxter** International's research facility in Orth-Donau, Austria. "At this juncture we are confident in saying that public health and occupational risk is minimal at present," medical officer Roberta Andraghetti said from Copenhagen, Denmark. "But what remains unanswered are the circumstances surrounding the incident in the Baxter facility in Orth-Donau." The contaminated product, a mix of H3N2 seasonal flu viruses and unlabelled H5N1 viruses, was supplied to an Austrian research company. The Austrian firm, Avir Green Hills Biotechnology, then sent portions of it to sub-contractors in the Czech Republic, Slovenia and Germany. The contamination incident, which is being investigated by the four European countries, came to light when the subcontractor in the Czech Republic **inoculated ferrets with the product and they died.** Ferrets shouldn't die from exposure to human H3N2 flu viruses.

Public health authorities concerned about what has been described as a "serious error" on Baxter's part have assumed the death of the ferrets meant the H5N1 virus in the product was live. But the company, Baxter International Inc., has been parsimonious about the amount of information it has released about the event. On Friday, the company's director of global bioscience communications confirmed what scientists have suspected.

**"It was live," Christopher Bona said in an email.**

The contaminated product, which Baxter calls "experimental virus material," was made at the Orth-Donau research facility. Baxter makes its flu vaccine — including a human H5N1 vaccine for which a licence is expected shortly — at a facility in the Czech Republic. People familiar with biosecurity rules are dismayed by evidence that human H3N2 and avian H5N1 viruses somehow co-mingled in the Orth-Donau facility. That is a dangerous practice that should not be allowed to happen, a number of experts insisted. Accidental release of a mixture of live H5N1 and H3N2 viruses could have resulted in dire consequences. While H5N1 doesn't easily infect people, H3N2 viruses do. If someone exposed to a mixture of the two had been simultaneously infected with both strains, he or she could have served as an incubator for a hybrid virus able to transmit easily to and among people.

That mixing process, called reassortment, is one of two ways pandemic viruses are created. There is no suggestion that happened because of this accident, however. "We have no evidence of any reassortment, that any reassortment may have occurred," said Andraghetti. "And we have no evidence of any increased transmissibility of the viruses that were involved in the experiment with the ferrets in the Czech Republic." Baxter hasn't shed much light — at least not publicly — on how the accident happened. Earlier this week Bona called the mistake the result of a combination of "just the process itself, (and) technical and human error in this procedure." He said he couldn't reveal more information because it would give away proprietary information about Baxter's production process.

Andraghetti said Friday the four investigating governments are co-operating closely with the WHO and the European Centre for Disease Control in Stockholm, Sweden. "We are in very close contact with Austrian authorities to understand what the circumstances of the incident in their laboratory were," she said. "And the reason for us wishing to know what has happened is to prevent similar events in the future and to share lessons that can be learned from this event with others to prevent similar events. ... This is very important."

**\*Despite Baxter's compromised credibility, CDC still awards Baxter a Swine Flu Contract**

Chicago  
**BreakingNewsCenter**

Chicago Tribune

## **Baxter to work to contain Mexico flu outbreak**

<http://www.chicagobreakingnews.com/2009/04/baxter-to-pursue-swine-flu-virus-to-control-mexico-outbreak.html>

April 25, 2009 2:28 PM

Deerfield-based medical product giant Baxter International Inc. is working with the World Health Organization on a potential vaccine to curb the spread of the swine flu outbreak in Mexico, the company confirmed today.

Baxter, which has a growing vaccine business, has worked with foreign countries in the past to develop vaccines for the H5N1 virus commonly known as bird flu. Baxter has a cell-based technology that allows the company to more rapidly produce vaccines in the event of a pandemic than a decades-old method that uses eggs to process vaccines and can take weeks or even months longer.

"Upon learning about the swine flu outbreak in Mexico yesterday, Baxter requested a virus sample from WHO to do laboratory testing for potentially developing an experimental vaccine," company spokesman Christopher Bona told the Tribune this afternoon. "Baxter has research and development and manufacturing pandemic planning expertise to rapidly develop candidate vaccines against potentially emerging influenza viruses."

In the past, Baxter has developed vaccines and worked with countries to stockpile vaccines even while they undergo experimental testing. The idea behind the government stockpiles, in the case of the bird flu, for example, is to prepare against outbreak.

The company would not say whether the U.S. or other countries have contacted Baxter. Other companies, too, develop vaccines and have been used to stockpile vaccines. It's unclear whether other vaccine makers have also contacted the WHO.

Because it's so early in the vaccine development process, Baxter would not estimate on when a candidate vaccine would emerge for potential use.

The Mexican government is working to control a swine flu outbreak that has killed more than 65 people and potentially infected more than 1,000 in recent weeks, according to government and news reports.

-- [Bruce Japsen](#)

Baxter Awarded Contract

The Pentagon's alarming project: Avian Flu Biowar Vaccine **by F. William Engdahl**  
<http://www.globalresearch.ca/index.php?context=va&aid=9833>

*There is alarming evidence accumulated by serious scientific sources that the US Government is about to or already has 'weaponized' Avian Flu. If the reports are accurate, this could unleash a new pandemic on the planet that could be more devastating than the 1918 Spanish Flu epidemic which killed an estimated 30 million people worldwide before it eventually died out. Pentagon and NIH experiments with remains in frozen state of the 1918 virus are the height of scientific folly. Is the United States about to unleash a new racially selective pandemic through the process of mandatory vaccination with an alleged vaccine "against" Avian Flu?*

There is reason to believe that sections of the international pharmaceutical industry cartel are acting in concert with the US Government to develop a genetically modified H5N1 virus substance that could unleash a man-made pandemic, perhaps more deadly than the 1918 'Spanish Influenza' pandemic claiming up to 30 million lives.<sup>1</sup>

Rima E. Laibow, MD, head of the Natural Solutions Foundation, a citizen watchdog group monitoring the pharmaceutical industry states, "Our best intelligence estimate is that pandemic Avian Flu has already been created through genetic engineering in the United States, fusing the deadly genome of the 1918 Pandemic, misnamed the 'Spanish Flu', with the DNA of the innocuous H5N1 virus in a growth medium of human kidney cells, according to the National Institutes of Health and the vaccine's manufacturer. Some virologists believe that this would insure that the man-made mutant virus recognizes human cells and knows how to invade them." <sup>2</sup>

If true, as Laibow points out, "A basic virological fact that the public has not been told is that it is impossible to make a vaccine against a virus that does not yet exist. Public relations efforts to the contrary, IF a vaccine is being made against the Avian Flu virus in its pandemic form, that means that the pandemic virus must already exist, period, end of discussion."<sup>3</sup>

The genome of the 1918 pandemic, the so-called "Spanish Flu", was recently intentionally resurrected by the United States government from a frozen corpse that died of the flu in 1918 in Alaska. Because of that resurrection, both the Avian Flu, and its "vaccine" are now a significant threat to public health.

The Spanish Flu, which was not Spanish at all, was created in the US through an early bioweapons program and injected into healthy young men (i.e., 'soldiers') as the first mandatory vaccination in the military during World War I. The "Spanish Flu", which originated in Kansas on US Military bases, was one of the deadliest pandemics in modern history. It was also one of the most successful biological weapons ever created, until now. Aspartame and Tyson Foods doubts

To date, there have only been around 385 human cases of Avian Flu identified worldwide (assuming those identifications are trustworthy, of course), with 243 deaths. To put the absurdity of this effort into perspective, Laibow points out, Sudden Cardiac Death (SCD), which researchers believe is heavily associated with aspartame consumption, is a leading cause of death which, according to the CDC, for example, killed 460,000 Americans in 1999 and the numbers keep rising ([www.cdc.gov/mmwr/preview/mmwrhtml/mm5106a3.htm](http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5106a3.htm).)

But, aspartame is not under criticism. Interesting as a footnote on Aspartame, G.D. Searle, the Chicago drugs company that held the patent on Aspartame was in danger of losing its license from the US Government Food & Drug Administration in the 1980's until Donald Rumsfeld, out of Government, was named President of Searle. Rumsfeld used his contacts in Washington to get the FDA to approve Aspartame despite known tests showing serious health effects on rats.

As I document in detail in my book, *Seeds of Destruction: The Hidden Agenda of Genetic Manipulation*, the same Don Rumsfeld went on to become chairman and principal stockholder of a California pharmaceutical company, Gilead Sciences Inc., which developed and patented Tamiflu in 1996, first as a drug for AIDS, later as a vaccine for H5N1 Avian Flu. In 1997 Donald H. Rumsfeld was named Chairman of the Board of Gilead Sciences, where he remained until early 2001 when he became Defense Secretary. As Secretary he refused to sell his stock at the time he came under conflict of interest allegations when he ordered \$1 billion worth of Tamiflu be bought to injected into the US military personnel as a "precaution." It was later proven that Tamiflu was in no antidote for H5N1 and its side effects were sometimes very severe.

Laibow adds, "Given the shockingly obvious lack of any threat from an un-weaponized H5N1 virus, how can we explain the Bush Administration spending billions of dollars preparing each of the 50 States, for what it calls the 'inevitable Bird

Flu pandemic,' which they say could kill half or more of all Americans and similar numbers of people around the globe?"<sup>4</sup>

Ominously, on June 3, Associated Press reported, "Tyson Foods Inc. has begun killing and burying the carcasses of 15,000 hens from a flock that tested positive for exposure to a strain of the bird flu in northwest Arkansas, state officials said Tuesday."

Tyson Foods is the largest industrialized producer of chickens in the world and has been repeatedly under attack for its unsanitary conditions of breeding and slaughtering. In January 2005, a US Government Accountability Office (GAO) report to the US Senate, "Safety in the Meat and Poultry Industry," concluded that US meat and poultry processing plants had "one of the

highest rates of injury and illness of any industry." They cited exposure to "dangerous chemicals, blood, faecal matter, exacerbated by poor ventilation and often extreme temperatures. Workers typically faced hazardous conditions, loud noise, must work in narrow confines with sharp tools and dangerous machinery."

The industrialization of chicken-raising and slaughtering in the USA has progressed to the point that by 2003 when the first cases of H5N1 Avian Flu virus were reported from Asia, five giant multinational agribusiness companies dominated the production and processing of chicken meat in the United States. The five companies were Tyson Foods, the largest in the world; Gold Kist Inc; Pilgrim's Pride; ConAgra Poultry; and Perdue Farms.<sup>5</sup> Most outbreaks of Avian Flu in Asia have been traced back to such mass chicken industrial factory centers.<sup>6</sup>

In May this year, The Canadian Press reported from Toronto, "An experiment mating H5N1 avian flu viruses and a strain of human flu in a laboratory produced a surprising number of hybrid viruses that were biologically fit, a new study reveals. And while none of the offspring viruses was as virulent as the original H5N1, about one in five were lethal to mice at low doses, showing they retained at least a portion of the power of their dangerous parent."<sup>7</sup>

The Toronto article went on, "The work suggests that under the right circumstances - and no one is clear what all of those are - the two types of flu viruses could swap genes in a way that might allow the H5N1 virus to acquire the capacity to trigger a pandemic. That process is called reassortment. 'This study is just showing exactly that: There is a risk this virus can successfully reassort with a human virus,' said Richard Webby, director of the World Health Organization's collaborating centre for influenza research at St. Jude Hospital in Memphis, Tennessee."<sup>8</sup>

### **Pentagon Bioweapon research**

Prof. Mathew Meselson, a professor of molecular biology at Harvard, and well-respected scientist in the area of chemical and biological warfare, confirms that the United States government has extensively researched and developed biological weapons in the past. Meselson described an American facility, north of Terre Haute, Indiana, built in 1944 that would have produced 500,000 four pound anthrax bombs monthly once in full operation.

Meselson was part of a team that proved the accidental release of anthrax at a Soviet facility in 1979, disproved charges of biological warfare in Laos and Cambodia in the late 1970s, and was a driving force behind popularizing the Chemical Weapons Convention in 1994.

Since coming in office, the Bush-Cheney Administration has done much to weaken that Chemical Weapons Convention as well as ones on biological weapons. One of George W. Bush's first acts as President in early 2001 was to oppose a proposed international Biological and Toxic Weapons Protocol, without explanation, leading to the death of the talks.

In a 2004 study, the British Medical Association warned that the world was perhaps only a few years away from "terrifying biological weapons capable of killing only people of specific ethnic groups," citing advances in genetic weapons technology.<sup>9</sup>

The US Department of Homeland Security has ominously enough announced it is ordering production and stockpiling of a pandemic influenza vaccine: "The U.S. Government is taking steps to minimize the need to make vaccine allocation decisions by supporting efforts to increase domestic influenza vaccine production capacity. Significant funding is being

provided to develop new vaccine technologies that allow production of enough pandemic influenza vaccine for any person in the United States who wants to be vaccinated within six months of a pandemic declaration."<sup>10</sup> The curious role of Sanofi Pasteur

The US Government has been financing the development of a vaccine against H5N1 on a "fast track" basis since 2004. Sanofi Pasteur in Swiftwater, Pennsylvania, a subsidiary of the giant French pharmaceutical firm, the third largest in the world, manufactured an inactivated vaccine made from an H5N1 virus isolated in Southeast Asia in 2004. Sanofi Pasteur, part of the French-based Sanofi Aventis Group, was awarded a contract by the US Government's National Institute of Allergy and Infectious Diseases (NIAID), part of the National Institutes of Health (NIH), NIAID to manufacture the H5N1 vaccine in May 2004.<sup>11</sup>

In April 2007 the FDA approved the Sanofi Pasteur vaccine for H5N1 even though one year before the FDA cited Sanofi Pasteur for producing contaminated Fluzone vaccines.<sup>12</sup> The FDA approved H5N1 vaccine is itself apparently not really effective in event of a human-to-human outbreak of Avian Flu. On announcing its approval, the FDA stated, "two injections given 28 days apart may provide 'limited' protection if a pandemic occurs. About 45% of people who got the vaccine in a study developed an immune response to the virus."<sup>13</sup>

Until now H5N1 has not mutated into a form that can easily spread from person to person. Is that what the researchers at Sanofi Pasteur and various labs under contract to the US Government are engaged in? If so it would be classified Top Secret, clearly. The respected British magazine, New Scientist, commented, "If H5N1 does mutate, it is unclear if vaccines developed now would still work against a pandemic strain. Manufacturers could tailor a new vaccine to that strain, but current production methods take months."<sup>14</sup>

The magazine noted that research on the Sanofi vaccine was conducted by the National Institutes of Health as part of the US Government's efforts to prepare for a flu pandemic. The salient question is whether they prepare "for a flu pandemic" or whether they prepare a flu pandemic. Why is the US Government spending hundreds of millions of taxpayer dollars to stockpile this H5N1 vaccine which likely would not work against such a pandemic outbreak?

On July 2, 2008, the London Daily Telegraph newspaper reported, "Three Polish doctors and six nurses are facing criminal prosecution after a number of homeless people died following medical trials for a vaccine to the H5N1 bird-flu virus."<sup>15</sup>

The report added that the medical staff, from the northern town of Grudziadz, were being investigated over medical trials on as many as 350 homeless and poor people last year, which prosecutors say involved an untried vaccine to the highly-contagious virus. Authorities claim that the alleged victims received €3 to be tested with what they thought was a conventional flu vaccine but, according to investigators, was actually an anti bird-flu drug. The director of a Grudziadz homeless centre, Mieczyslaw Waclawski, told a Polish newspaper that last year, 21 people from his centre died, a figure well above the average of about eight.

The Polish report did not specify if it was the vaccine being developed under contract to the US Government Department of Homeland Security by Sanofi-Pasteur. However, it is known that Sanofi-Pasteur has been producing large quantities of such a vaccine at a factory they have in China.

Dr. Laibow reports that the "Pandemic Avian Flu Vaccine" was scheduled to be delivered to the United States this month by the French vaccine maker, Sanofi Pasteur, from a facility they own in China, where it is being produced. The US Government issued its "Vaccine" allocation plan in July. Laibow fears that a most sinister scenario of a deliberate release of Avian Flu pathogens on the population that could activate martial law and forced vaccination with resulting deaths in the millions could be imminent. Spanish Flu virus revived by Pentagon

In 2003 US Army scientists created 'Spanish Flu' virus in the laboratory. According to a report at the time by the watchdog group, The Sunshine Project, which monitors biological and chemical weapons research of the United States Government issued a statement that "The 'Spanish Flu' influenza virus that killed 20-40 million people in 1918 is currently under reconstruction. Several genes of the extraordinarily lethal 1918 flu virus have been isolated and introduced into contemporary flu strains. These proved to be lethal for mice, while virus constructs with genes from a current flu virus types had hardly any effect. These experiments may easily be abused for military purposes, but provide little benefit from a medical or public health point of view."

They continued, "The 1918 Spanish Flu was highly infectious and – in comparison to contemporary flu viruses – killed a very high percentage of those infected, including many younger people. The Spanish Flu alone caused the medium life expectancy in the US in 1918 to drop by 10 years. Hence, flu viruses are perceived today as a serious biological warfare threat. Just two weeks ago, a 15 million dollar research grant was awarded in the US to develop protective measures especially against a bioterrorist attack with flu viruses."

The statement added, "Despite the very dangerous nature of the 1918 virus, efforts to reconstruct it started in the mid 1990s, when Dr Jeffrey Taubenberger from the US Armed Forces Institute of Pathology in Washington DC succeeded in recovering and sequencing fragments of the viral RNA from preserved tissues of 1918 victims. In the current issue of the scientific journal Emerging Infectious Diseases new genetic details of the 1918 flu virus will be published."

Most ominously, they report, "But after (partially) unraveling the genetic sequence of the virus, the scientists went a step further and began bringing the Spanish flu back to life. Unnoticed by the public, they succeeded in creating a live virus containing two 1918 genes that proved to be very lethal in animal experiments. This experiment is only one genetic step away from taking the 1918 demon entirely out of the bottle." 16

They conclude, "A resuscitation of the Spanish flu is neither necessary nor warranted from a public health point of view. Allegedly, the recent experiments sought to test the efficacy of existing antiviral drugs on the 1918 construct. But there is little need for antiviral drugs against the 1918 strain if the 1918 strain had not been recreated in the first place. 'It simply does not make any scientific sense to create a new threat just to develop new countermeasures against it.' says Jan van Aken, biologist with the Sunshine Project, 'Genetic characterization of influenza strains has important biomedical applications. But it is not justifiable to recreate this particularly dangerous eradicated strain that could wreak havoc if released, deliberately or accidentally.'"17

Let us sincerely hope not, but as Prof. Stephen Block, Stanford University biophysicist with years of experience in classified Pentagon and US Government biological research remarked in another context, "We're tempted to say that nobody in their right mind would ever use these things." Block added, "But not everybody is in their right mind..." 18Sanofi Pasteur delivers H5N1 vaccine

On April 28 of this year in an official Press Release from Sanofi Pasteur US headquarters in Swiftwater, Pennsylvania and Lyon, France, the company stated, "Sanofi Pasteur, the vaccines division of Sanofi-Aventis Group, announced today that the US Department of Health and Human Services (HHS) has accepted H5N1 bulk vaccine antigen to produce approximately 38.5

million doses of vaccine to protect against a new strain of avian influenza. Sanofi Pasteur has a multi-year contract with HHS as part of its pandemic program, and will receive a payment of \$192.5 million booked in the second quarter of 2008 for acceptance of the bulk vaccine lot."19

Then, on June 16 of this year, Sanofi Pasteur issued the following release announcing that it will, "donate 60 million doses of H5N1 vaccine to the World Health Organization (WHO) over 3 years for the establishment of an H5N1 vaccine global stockpile."

The President and CEO of Sanofi Pasteur, Wayne Pisano, said in the release, "The H5N1 virus is currently circulating in some of the poorest regions of the world and an outbreak of pandemic influenza would most likely hit populations living in areas with limited access to vaccines. This donation of H5N1 vaccine aims to address the needs of those most vulnerable populations. In addition to supporting the efforts of governments," Pisano added, "it is essential that industry collaborates with international organizations such as WHO, the Bill and Melinda Gates Foundation and other global health players. This is the best way to build a stockpile of vaccines for developing nations, ready to be deployed on the ground in the event of a pandemic flu outbreak."20

The Bill and Melinda Gates Foundation, in addition to being a financial supporter of the so-called Doomsday Seed Vault in the Arctic, has dedicated its foundation billions to support population control especially in Africa. Among other projects they, as well as the Rockefeller Foundation, are financing The Alliance for a Green Revolution in Africa, whose head is former UN Secretary General Kofi Annan. 21

As the world's leading influenza vaccine manufacturer, Sanofi Pasteur produces approximately half of the influenza vaccine distributed worldwide. In the US it produced more than 40 percent of the influenza vaccine distributed for the 2007-2008 influenza season. The fact that the US Government has revived the 1918 Spanish Flu virus to make "tests" indicates that anything is possible. There are in this world some people not in their "right mind." God forbid if it is so in this instance.

*F. William Engdahl is author of [Seeds of Destruction: the Hidden Agenda of Genetic Manipulation](#)  
He may be contacted through his website, [www.engdahl.oilgeopolitics.net](http://www.engdahl.oilgeopolitics.net). (see details)*

<http://www.vaclib.org/basic/quotes.htm>

## Vaccination Quotes.

"My suspicion, which is shared by others in my profession, is that the nearly 10,000 SIDS deaths that occur in the United States each year are related to one or more of the vaccines that are routinely given children. The pertussis vaccine is the most likely villain, but it could also be one or more of the others." --Dr. Mendelsohn, M.D.

"The evidence for indicting immunizations for SIDS is circumstantial, but compelling. However, the keepers of the keys to medical-research funds are not interested in researching this very important lead to the cause of an ongoing, and possibly preventable, tragedy. Anything that implies that immunizations are not the greatest medical advance in the history of public health is ignored or ridiculed. Can you imagine the economic and political import of discovering that immunizations are killing thousands of babies?" --Dr. Douglass M.D.

"Only after realizing that routine immunizations were dangerous did I achieve a substantial drop in infant death rates. The worst vaccine of all is the whooping cough vaccine... it is responsible for a lot of deaths and for a lot of infants suffering irreversible brain damage. In susceptible infants, it knocks their immune systems about, leading to irreparable brain damage, or severe attacks or even deaths from diseases like pneumonia or gastroenteritis and so on." --Dr. Kalokerinos, M.D.

"Delay of DPT immunization until 2 years of age in Japan has resulted in a dramatic decline in adverse side effects. In the period of 1970-1974, when DPT vaccination was begun at 3 to 5 months of age, the Japanese national compensation system paid out claims for 57 permanent severe damage vaccine cases, and 37 deaths. During the ensuing six year period 1975-1980, when DPT injections were delayed to 24 months of age, severe reactions from the vaccine were reduced to a total of eight with three deaths. This represents an 85 to 90 percent reduction in severe cases of damage and death." --Raymond Obomsawin, M.D.

"Autism may be a disorder linked to the disruption of the G-alpha protein, affecting retinoid receptors in the brain. A study of sixty autistic children suggests that autism may be caused by inserting a G-alpha protein defect, the pertussis toxin found in the D.P.T. vaccine, into genetically at-risk children." --Mary N. Megson, M.D.

"This report describes six mothers who received live virus vaccines and one who received a Hepatitis B vaccine during pregnancy after having received an MMR booster five months prior to conception. All the children who resulted from these pregnancies have had developmental problems, six out seven (85%) were diagnosed with autism, and the seventh seems to exhibit symptoms often associated with autistic spectrum disorders." --F. Edward Yazbak, MD

"Every day new parents are ringing us. They all have the same tragic story. Healthy baby, child, teenager, usually a boy, given the DPT (diphtheria, pertussis and tetanus) or DT (diphtheria and tetanus), MMR or MMR booster followed by a sudden fall or slow, but steady decline into autism or other spectrum disorder." --The Hope Project (Ireland)

"There is no evidence whatsoever of the ability of vaccines to prevent any diseases. To the contrary, there is a great wealth of evidence that they cause serious side effects." -- Dr. Viera Scheibner

"My data proves that the studies used to support immunization are so flawed that it is impossible to say if immunization provides a net benefit to anyone or to society in general. This question can only be determined by proper studies which have never been performed. The flaw of previous studies is that there was no long term follow up and chronic toxicity was not looked at. The American Society of Microbiology has promoted my research...and thus acknowledges the need for proper studies." --John B. Classen, M.D., M.B.A.

"The medical authorities keep lying. Vaccination has been a disaster on the immune system. It actually causes a lot of illnesses. We are changing our genetic code through vaccination." --Guylaine Lanctot M.D. Canadian author of the best-seller 'Medical Mafia'.

Jonas Salk, inventor of the IPV, testified before a Senate subcommittee that nearly all polio outbreaks since 1961 were caused by the oral polio vaccine.

"Crib death" was so infrequent in the pre-vaccination era that it was not even mentioned in the statistics, but it started to climb in the 1950s with the spread of mass vaccination against diseases of childhood. --Harris L.Coulter, PhD.

"These data show that DPT vaccination may be a generally unrecognized major cause of sudden infant and early childhood death, and that the risks of immunization may outweigh its potential benefits. A need for re-evaluation and possible modification of current vaccination procedures is indicated by this study." --William C. Torch, M.D., Director of Child Neurology, Department of Pediatrics, University of Nevada School of Medicine

"You cannot be in the presence of a profoundly vaccine damaged child and not know that child could be your own. And you cannot try to comfort a mother who has just buried a baby who has died from a vaccine or a disease and not know that you could be the one standing over the grave. When it happens to your child, the risks are 100 percent." -Anonymous

"Vaccination is not necessary, not useful, does not protect. There are twice as many casualties from vaccination as from AIDS." --Dr. Gerhard Buchwald, West Germany, specialist of internal diseases and participant in about 150 trials of vaccination victims.

Dr. Michael Odent has written a letter in the JAMA (1994) where his figures show a five times higher rate of asthma in pertussis immunized children compared to non-immunized children. He is also quoted in the International Vaccination Newsletter (Sept. 1994): "Immunized children have more ear infections and spend more days in hospital."

"The public is surely entitled to convincing proof, beyond all reasonable doubt, that artificial immunization is in fact a safe and effective procedure, in no way injurious to health, and that the threat of the corresponding natural diseases remain sufficiently clear and urgent to warrant mass inoculation of everyone, even against their will if necessary. Unfortunately, such proof has never been given." --Richard Moskowitz, M.D., Journal of the American Institute of Homeopathy, March 1983 (76:7)

"Vaccination is expensive and represents a cost of one billion dollars annually. It therefore benefits the industry; most notably, the multinational manufacturers. One sells the vaccines. The other then provides the arsenal of medications to respond to the numerous complications that follow. Their profits increase while our expenses go through the roof. To the point where we have simply had it up to here and are ready to accept the unacceptable, such as socialized medicine in the United States, for example." --Dr Lanctot MD

In the May 24, 1996, New Zealand Medical Journal, J. Barthelow Classen, MD, a former researcher at the U.S. National Institutes of Health (NIH) and the founder and CEO of Classen Immunotherapy's in Baltimore, reported that juvenile diabetes increased 60 per cent following a massive hepatitis B vaccination campaign for babies six weeks or older in New Zealand from 1988 to 1991. In the October 22, 1997, Infectious Diseases in Clinical Practice, Classen showed that Finland's incidence of diabetes increased 147 per cent in children under five after three new vaccines were introduced in the 1970s, and that diabetes increased 40 per cent in children aged 5 to 9 after the addition of the MMR and Hib vaccines in the 1980s. He concluded that "the rise in IDDM [juvenile onset diabetes] in the different age groups correlated with the number of vaccines given."

Yet some parents and doctors, concerned about the future, are looking beyond the present. "What we forget is that millions of years of evolution have taken place on this planet, and up until the last 100 years, humans have lived in relative harmony with microbes. Yes, there have been epidemic infectious diseases in history, but they have always resolved themselves. I don't think there is any real appreciation for what we may be doing by using so many vaccines to try to eradicate so many organisms. If we stay the present course, will mankind be free from infectious disease but crippled by chronic disease? Will eradication of feared diseases, such as AIDS, through mass vaccination be one of man's greatest triumphs or will we live in fear of deadly mutations of microbes that have outsmarted man's attempt to eradicate them? We may look back at the crossroads we are

at today and wish we had decided to make peace with nature instead of trying to dominate it." --Richard Moscowwitz, MD

"This..forced me to look into the question of vaccination further, and the further I looked the more shocked I became. I found that the whole vaccine business was indeed a gigantic hoax. Most doctors are convinced that they are useful, but if you look at the proper statistics and study the instances of these diseases you will realise that this is not so . . . My final conclusion after forty years or more in this business [medicine] is that the unofficial policy of the World Health Organization and the unofficial policy of the 'Save the Children's Fund' and ... [other vaccine promoting] organizations is one of murder and genocide. . . . I cannot see any other possible explanation. . . . You cannot immunize sick children, malnourished children, and expect to get away with it. You'll kill far more children than would have died from natural infection." --Dr Kalokerinos MD

"Two or three years ago there was a rash of positive HIV and hepatitis patients in Baltimore among people who would otherwise not be expected to have a positive test. When studied all of these people had received the influenza vaccine four to six weeks prior and this was rapidly covered up by the press." -- Dr. Eva Snead, Feb 2000

Nine die in flu tragedy as epidemic hits nursing home (Daily Express 1/1/1999) Nine pensioners died within days of each other after a suspected flu epidemic swept the nursing home where they lived. An investigation has been launched after it emerged all the victims suffered severe chest infections despite having the flu vaccinations.

If vaccines are so effective in preventing disease why have epidemics occurred around the world following mass vaccination programs? In the Philippines for example, "after ten years of compulsory inoculation against smallpox (25 million shots) over 170,000 got smallpox and 75,000 deaths were recorded between 1911 and 1920" (from the Townsend Letter for Doctors article "Are Vaccines Generally Detrimental to the Human Defense System," Feb/Mar 1994).

"Sudden Infant Death Syndrome has been reported following administration of DPT. The significance is unclear. 85% of SIDS cases occur in the period 1 through 6 months of age, with the peak incidence at age 2 to 4 months." --From the accompanying insert to Connaught Labs DPT shot.

"There has been a frightening increase in cases of autism that has not been explained. There are a number of anecdotal reports from parents that symptoms of autism have appeared close to the time of the (MMR) vaccine." Jane Orient, M.D., executive director of the Association of American Physicians and Surgeons and clinical lecturer in medicine at the University of Arizona College of Medicine, and a professor of clinical medicine at the Oregon Institute of Science and Medicine.

Even the WHO (World Health Organization) has admitted, disease and mortality rates in Third World countries have no direct correlation with immunization procedures or medical treatment, but they are closely related to the standard of hygiene and diet. A 1973 issue of Scientific American revealed the same finding : that "over 90% of all contagious disease was eliminated by vastly improved water systems, sanitation, living conditions and transportation of food." Mass vaccinations did not appear on the scene until a century after the decline in infectious diseases started (1850-1940), but inoculations were, and still are given full credit. --Susan DeSimone

"Up to 90% of the total decline in the death rate of children between 1860-1965 because of whooping cough, scarlet fever, diphtheria, and measles occurred before the introduction of immunizations and antibiotics." ---Dr. Archie Kalokerinos, M.D.

"The mechanics of vaccination to build immunity, on the other hand, is quite unnatural. Rather than space exposure to a relatively minuscule level of micro-organisms in a gradual manner, massive quantities of antigens are introduced into the body through a series of vaccinations that are given right in a row over a short period of time. All vaccines, with the exception of the OPV (oral polio vaccination) are injected directly into the bloodstream, by-passing the mucosal immune system known as the secretory IgA. The secretory IgA is the first in a series of defensive levels within the immune system. It serves as a buffer, filtering microbes so that

the impact of these invading organisms is greatly reduced once it reaches the bloodstream. The IgA allows the antigen to be removed in the same manner in which it arrived - through the mucosal barrier - by sneezing, coughing and sweating. So a vaccine that has been injected "gives the body no warning, no generalized inflammatory response, no chance to recognize, duplicate or defend itself against future challenges from typical antigens," writes Dr. Mendelsohn in *How to Raise a Healthy Child In Spite of Your Doctor*.

A recent topical example: the diphtheria case, and the "fear" created by this one, extremely mild, case in an unvaccinated child. Dr Ossi Mansoor, a principal doctor regarding vaccination policy, stated on Radio Pacific, "The figures we have are that in the 1920s there were 800 deaths every year" (from diphtheria). Yet the New Zealand Government's statistics show the average yearly number was below 100, also that the average death rate per 10,000 mean of population fell from 6.08 to 0.20 before the use of the diphtheria vaccine. --Southland Times 30-Sep-1998

"I've been practicing for 40 years, and in the past 10 years the children have been sicker than ever."--Dr Doris J.Rapp, pediatric allergist.

"I once believed in Jenner; I once believed in Pasteur. I believed in vaccination. I believed in vivisection. But I changed my views as the result of hard thinking."--Dr. Hadwen

"Measles, mumps, rubella, hepatitis B, and the whole panoply of childhood diseases are a far less serious threat than having a large fraction (say 10%) of a generation afflicted with learning disability and/or uncontrollable aggressive behaviour because of an impassioned crusade for universal vaccination.....Public policy regarding vaccines is fundamentally flawed. It is permeated by conflicts of interest. It is based on poor scientific methodology (including studies that are too small, too short, and too limited in populations represented), which is, moreover, insulated from independent criticism. The evidence is far too poor to warrant overriding the independent judgments of patients, parents, and attending physicians, even if this were ethically or legally acceptable." --Association Of American Physicians & Surgeons

"If you want the truth on vaccination you must go to those who are not making anything out of it. If doctors shot at the moon every time it was full as a preventive of measles and got a shilling for it, they would bring statistics to prove it was a most efficient practice, and that the population would be decimated if it were stopped."---Dr Allinson

"To pass our examinations and get qualified, we must accept what our teachers tell us. In other words, we must cultivate what Josh Billings called 'A well-balanced mind---one that will balance in any direction required.'"--Major R. Austin M.R.C.S., L.R.C.P

"The greatest threat of childhood diseases lies in the dangerous and ineffectual efforts made to prevent them through mass immunization.....There is no convincing scientific evidence that mass inoculations can be credited with eliminating any childhood disease." --Dr. Robert Mendelsohn, M.D.

"I think that no person would permit anybody to get close to them with an inoculation if they would really know how they are made, what they carry, what has been lied to them about them and what the real percent of danger is of contracting such a disease which is minimal."---Dr. Eva Snead

"There are significant risks associated with every immunization and numerous contraindications that may make it dangerous for the shots to be given to your child....There is growing suspicion that immunization against relatively harmless childhood diseases may be responsible for the dramatic increase in autoimmune diseases since mass inoculations were introduced. These are fearful diseases such as cancer, leukemia, rheumatoid arthritis, multiple sclerosis, Lou Gehrig's disease, lupus erthematosus, and the Guillain-Barre syndrome." --Dr. Mendelsohn, M.D.

"Probably 20% of American children-one youngster in five--- suffers from 'development disability'. This is a stupefying figure..We have inflicted it on ourselves.. 'development disabilities' are nearly always generated by encephalitis. And the primary cause of encephalitis in the USA and other industrialized countries is the

childhood vaccination program. To be specific, a large proportion of the millions of US children and adults suffering from autism, seizures, mental retardation, hyperactivity, dyslexia, and other shoots or branches of the hydraheaded entity called 'development disabilities', owe their disorders to one or another of the vaccines against childhood diseases." --Harris Coulter, PhD

"It is pathetic and ludicrous to say we ever vanquished smallpox with vaccines, when only 10% of the population was ever vaccinated." - Dr. Glen Dettman.

"There is no evidence that any influenza vaccine thus far developed is effective in preventing or mitigating any attack of influenza. The producers of these vaccines know that they are worthless, but they go on selling them anyway." - Dr. J. Anthony Morris (formerly Chief Vaccine Control Officer at the US Federal Drug Admin.)

"There is a great deal of evidence to prove that immunization of children does more harm than good." - Dr. J. Anthony Morris (formerly Chief Vaccine Control Officer at the US Federal Drug Admin.)

"There is insufficient evidence to support routine vaccination of healthy persons of any age." - Paul Frame, M.D., Journal of Family Practice

"Official data shows that large scale vaccination has failed to obtain any significant improvement of the diseases against which they were supposed to provide protection" - Dr. Sabin, developer of Polio vaccine.

"All vaccination has the effect of directing the three values of the blood into or toward the zone characteristics of cancer and leukemia...Vaccines do predispose to cancer and leukemia." -Professor L.Vincent - founder of Bioelectronics

"Many here voice a silent view that the Salk and Sabin Polio Vaccines, being made from monkey kidney tissue, has been directly responsible for the major increase in leukemia in this country." - Dr F. Klenner, M.D.

"Provocation polio. That is the truth about those outbreaks of polio. And I offer a well considered personal opinion that polio is a man made disease." -Viera Scheibner, Ph.D.

"Even to this day, the government, the FDA is refusing to use the sophisticated biotechnology to evaluate the contaminants in the vaccines such as the polio vaccines that they are administering. I think (people) would be appalled that some of the vaccines that are currently being used are still laced with viruses." -Leonard Horowitz., D.M.D., M.A., M.P.H.

"May as well consult a butcher on the value of vegetarianism as a doctor on the worth of vaccination."--- Bernard Shaw

"The vaccinations are not working, and they are dangerous.. We should be working with nature." --- Lendon H.Smith, M.D.

"For a pediatrician to attack what has become the 'bread and butter' of pediatric practice is equivalent to a priest denying the infallibility of the pope." - Dr Robert Mendelsohn, M.D.

"The decline in infectious diseases in developed countries had nothing to do with vaccinations, but with the decline in poverty and hunger." --Dr. Buchwald, M.D.

"I was working in one of the oldest lung illness treatment centers in Germany, and just by chance, I looked at the files of those people who had fallen ill during the first German epidemic of smallpox, in 1947...We had always been told that the smallpox vaccination would protect against smallpox. And now I could verify, thanks to the files and papers, that all of those who had fallen ill had been vaccinated. This was very upsetting for me." - Dr. Buchwald, M.D.

"It was similar with the measles vaccination. They went through Africa, South America and elsewhere, and vaccinated sick and starving children...They thought they were wiping out measles, but most of those susceptible to measles died from some other disease that they developed as a result of being vaccinated. The vaccination reduced their immune levels and acted like an infection. Many got septicaemia, gastro-enteritis, etcetera, or made their nutritional status worse and they died from malnutrition. So there were very few susceptible infants left alive to get measles. It's one way to get good statistics. Kill all those that are susceptible, which is what they literally did." --Dr. Kalokerinos, M.D.

"Only after realizing that routine immunizations were dangerous did I achieve a substantial drop in infant death rates." --Dr. Kalokerinos

"I well remember, some years ago, listening to a knighted medical researcher as he spoke on the radio, about vaccines. He told two classical stories from the history books. The first concerned Edward Jenner who, according to history, watched as the milkmaid caught cowpox and this protected her from smallpox. So Jenner got some of the 'cowpox' and inoculated it into someone's arm - it fostered and the pus was then inoculated into someone else - 100% success was claimed. 100%!! How absurd - complete with all sorts of germs including hepatitis, syphilis and whatever. If one did that today, without antibiotics, the death rate would be huge."---Dr. Kalokerinos, M.D.

The prerequisite for today's medical policy is naturally the currently predominant system of medicine. The sick are the source of income, therefore it is necessary for sick people to be there. And, yes, it proves advantageous if one makes the people artificially sick. --Dr. Med. Steintl: 'International Medical Policy', 1938, Berlin

In the April 15, 1998, issue of the Journal of the American Medical Association (JAMA), an analysis of drug side effects found that toxic reactions to correctly prescribed medications make more than two million Americans seriously ill every year and kill 106,000, putting drug side effects among the top 10 causes of death in the United States. Among children, antibiotics and vaccines cause more adverse reactions than any other.

In one study, serious reactions to the DPT vaccine (including grand mal epilepsy and encephalopathy) were shown to be as high as 1 in 600. In another study, approximately one out of every 200 children who received the full DPT series suffered severe reactions. Immunization: Survey of Recent Research, (United States Department of Health and Human Services, April 1983), p. 76.

Dr. Bernard Greenberg, a biostatistics expert, was chairman of the Committee on Evaluation and Standards of the American Public Health Association during the 1950s. He testified at a panel discussion that was used as evidence for the congressional hearings on polio vaccine in 1962. During these hearings he elaborated on the problems associated with polio statistics and disputed claims for the vaccine's effectiveness. He attributed the dramatic decline in polio cases to a change in reporting practices by physicians. Less cases were identified as polio after the vaccination for very specific reasons. "Prior to 1954 any physician who reported paralytic poliomyelitis was doing his patient a service by way of subsidizing the cost of hospitalization and was being community-minded in reporting a communicable disease. The criterion of diagnosis at that time in most health departments followed the World Health Organization definition: "Spinal paralytic poliomyelitis: signs and symptoms of non-paralytic poliomyelitis with the addition of partial or complete paralysis of one or more muscle groups, detected on two examinations at least 24 hours apart." Note that "two examinations at least 24 hours apart" was all that was required. Laboratory confirmation and presence of residual paralysis was not required. In 1955 the criteria were changed to conform more closely to the definition used in the 1954 field trials: residual paralysis was determined 10 to 20 days after onset of illness and again 50 to 70 days after onset.... This change in definition meant that in 1955 we started reporting a new disease, namely, paralytic poliomyelitis with a longer-lasting paralysis. Furthermore, diagnostic procedures have continued to be refined. Cocksackie virus infections and aseptic meningitis have been distinguished from paralytic poliomyelitis. Prior to 1954 large numbers of these cases undoubtedly were mislabeled as paralytic poliomyelitis. Thus, simply by changes in diagnostic criteria, the number of paralytic cases was predetermined as used.

A study revealed that 1 in 175 children who completed the full DPT suffered severe reactions ("Nature and Rates of Adverse Reactions Associated with DPT and DT Immunizations in Infants and Children" [Pediatrics,

Nov. 1981, Vol.68, No.5]) and a Dr.'s report for attorneys which found that 1 in 300 DPT immunizations resulted in seizures (The Fresno Bee, Community Relations, DPT Report, Dec 5, 1984).

"Poliomyelitis trends in Pondicherry, south India, 1989-91" (Journal of Epidemiology and Community Health [London], vol. 51, no. 4, August 1997, pages 443-48): About 54 percent of children lamed as a result of poliomyelitis had received three doses of oral polio vaccine before the onset of paralysis.

"Poliomyelitis associated with type-2 poliovirus vaccine strain. Possible transmission from an immunized child to a non-immunized child" (The Lancet, vol. 1, March 30, 1968, pp. 661-3): a sixteen-month-old boy hospitalized for high fever and paralysis had never received any poliovirus vaccine. >From playing and sharing a bed with a cousin, he apparently had contracted paralytic poliomyelitis from the cousin, who had received type-2 oral poliovirus vaccine thirty-three days before. Virological and serological investigation revealed a vaccine-like strain of type-2 poliovirus. The patient's history revealed no particular susceptibility to infections."

"If we look closely, we realise that health for all, according to the WHO, means medicalization and vaccinations for all. That is to say sickness for all." -- Guylaine Lanctot, M.D.

Some doctors refuse to vaccinate their own children as well. According to Dr. Jerome Murphy, former head of Pediatric Neurology at Milwaukee Children's Hospital, "There is just overwhelming data that there's an association [between the pertussis vaccine and seizures]. I know it has influenced many paediatric neurologists not to have their own children immunized with pertussis."

Vaccine Injury Compensation, Hearing Before the Subcommittee on Health and the Environment, 99th Congress, 2nd Session (July 25, 1986) p 214 "The vaccination lobby shamelessly takes all the children of this world as hostages to still their greed for money and power. They relentlessly abuse our compassion for the weaker and our concern about health to promote their giga-business. No matter what. No matter how many more vaccine victims will suffer death or side-effects. No matter how many financial resources this strategy devours at the expense of essential social investments like housing and employment. No matter what. Shocking! There is no excuse for this crime. Just as shocking is the observation that (health) policy is no longer under local, democratic control. Everything is set up and organized with scrutiny at the highest, international level by those who take profit from it: the pharmaceutical industry, the financial world, politicians." --Kris Gaublomme, MD

Five deaths have been reported in Australia from vaccines in the 19 month period 6/6/97 to 31/1/99. These statistics make a mockery of the words of Australia's Health Minister, Dr. Michael Wooldridge, who said: 'It's more likely your child will die because of a meteorite falling from space than die from immunization'.

'When you do get to the little wrappers that come with the little bottles of vaccine and read the small print, the alarm bells start ringing... vaccination does not guarantee immunization... you do run some risk with vaccination... I put it that natural immunity is much more likely to be protective of the child than the much failed record of artificial immunity coming from vaccination'. --Senator Brown of Tasmania (ex medical practitioner).

'It is impossible to identify all rare adverse events or to identify the safest vaccine combinations prior to licensure' said Robert Chen, chief of vaccine safety and development activity at the USA National Immunization Program of the Center for Disease Control.

The USA Association of American Physicians and Surgeons said that children younger than 14 are three times more likely to be killed or seriously injured by Hepatitis 'B' vaccine than to catch the disease. They have called for an immediate moratorium on mandatory Hepatitis 'B' vaccine for school children pending further research about dangerous side effects.

The USA Public Health Service and the American Academy of Pediatrics are now asking vaccine manufacturers to eliminate the preservative of Thimerosal (a mercury derivative) from all vaccines. Thimerosal is presently being used in Hepatitis 'B', Diphtheria Tetanus, Pertussis (DTPw), Influenza and Bacterial

Meningitis (Hib) vaccines. It has been found that the cumulative effects of ingesting mercury can cause brain damage.

The Centers for Disease Control in the USA recently recommended the phasing-out of the oral polio vaccine in favor of the inactivated polio vaccine by injection. The risk of vaccine-associated paralytic poliomyelitis now seems greater than the risk posed by the disease.

The Bovine Spongiform Encephalitis BSE (Mad Cow Disease) inquiry in the UK has shown that the 40 victims of BSE and the new variant Creutzfeldt-Jakob disease may not have had anything to do with eating beef, but from injecting vaccines made from the brains of BSE-infected cattle.

Modern vaccinations, fear of germs and obsession with hygiene are depriving the immune system of the information input upon which it is dependent. This fails to maintain the correct cytokine balance and fine-tune T-cell regulation, and may lead to increased incidences of allergies and autoimmune diseases. If humans continue to deprive their immune systems of the input to which evolution has adapted it, it may be necessary to devise ways of replacing it artificially. --Rook GA, Stanford JL Dept of Bacteriology, UCL Medical School, London, UK.

"Instead of the Government spending \$400,000 on immunization, we may get far better health outcomes if we spend \$100,000 in some other way, on nutrition for example...When you have an expenditure on getting your community healthier, then the resistance to many childhood diseases is stronger." -Michael Moore, .Health Minister, Hansard 1997.

"Among school age children, (measles) outbreaks have occurred in schools with vaccination levels of greater than 98%. These outbreaks have occurred in all parts of the country, including areas that had not reported measles for years." -Morbidity and Mortality Weekly Report, 29/12/1989.

"Dutch scientists are struggling to identify the exact cause of an epidemic of whooping cough that has swept throughout the country despite vaccination rates as high as 96%. Similar problems are also being reported from Norway and Denmark." -British Medical Journal, 1998.

"An outbreak of measles occurred among adolescents in Corpus Christi, Texas, even though vaccination requirements for school attendance had been thoroughly enforced." -New England Journal of Medicine Vol. 316: pp 771-774.

"(Whooping cough infections) are common in an immunized population." -Journal of the American Medical Association, 1998.

"From January 1988 to March 1989, a widespread outbreak (118 cases) of polio type 1 occurred in Oman. Incidence of paralytic disease was highest in children younger than 2 years despite an immunization program that had recently raised coverage with 3 doses of oral poliovirus vaccine among 12 month old children from 67% to 87%."

"The incidence of asthma has been found to be five times more common in vaccinated children." -The Lancet, 1994.

"There is no doubt in my mind that in the U.K. alone some hundreds, if not thousands, of well infants have suffered irreparable brain damage needlessly (due to being vaccinated)." - Prof. G. Stewart, Dev. Biol. Stand. Vol. 61: pp 395-405. 1985.

"There has been a tendency (by doctors) to play down the likelihood of common adverse reactions...Immunizations are thus commonly given without the informed consent of parents. When problems arise after vaccination, these doctors tend to play down the severity of the complaints and will often deny a connection with the vaccination." - MJA (Medical Journal of Australia) Submission on Vaccination. Dr. Mark

Donohoe MB BS. Submitted to the Medical Journal of Australia, Feb 97 rejected May 97, then published in Australian Vaccination Network, "Vaccination Roulette" 1998.

"89% of doctors rely on drug company salesmen for their information." -The Australian Doctor 1989.

"In the USA the vaccination lobby has made the US Government shoulder the vaccine manufacturers liabilities. The Government established a National Vaccine Injury Compensation Program in 1986 and has paid out in excess of \$1 billion to families for vaccine injuries, mainly from the whooping cough vaccine. The Vaccine Adverse Events Reporting Scheme of the FDA admits 12,000 to 14,000 reports annually and agree that only 10 to 15% of adverse reactions are reported."

"In 1993 a high court judge in the UK decided that it was impossible to know the exact contents of vaccines and that science had no idea what the cocktail of chemicals, contaminants and heavy metals contained in vaccines could do to the human body, or why they would work to prevent disease." -British Medical Journal, 1993.

"Studies have shown that while the oral polio vaccine contains three strains of polio virus, a fourth strain can be cultured from the feces of vaccine recipients. This indicates that viruses have recombined and formed a new strain in the process of vaccination." -Virology, 1993.

"It is officially admitted that all cases of polio in the US, since the introduction of the vaccine, are caused by the vaccine. The same has been seen in Australia and other countries like England. So the occurrence of the same phenomenon all around the world would be asking too much of coincidence." - Dr Viera Scheibner, "Vaccination: The Medical Assault on the Immune System" 1993.

"In an outbreak of measles in Western Sydney in 1993, 73% of cases occurred in children aged 5-9 years who had been vaccinated against measles according to their parents." -Medical Journal of Australia, 1995.

"In the USA in 1978, they mandated vaccination and it resulted in a three fold increase in the reported incidence of whooping cough." -Dr. Viera Scheibner showing graphs from Tokai Journal of Experimental Biology and Medicine 1988.

Atypical measles has been known about for almost as long as the measles vaccine has been around and it is ONLY found in the vaccinated. It is typified by a milder than usual rash which is probably where the ugly rumor has originated that vaccinated people get milder cases of measles than the unvaccinated. Though the rash may be less, the symptoms can be much worse and the chances of lung involvement are higher than with wild measles (20% +) and liver involvement 3% +) The earliest medical journal study I have about this is "Altered Reactivity to Measles Virus" Atypical Measles in Children Previously Immunized with Inactivated Measles Virus Vaccines. Fulginiti, V.A. et al; JAMA 18/12/67, Vol. 202, No. 12. Viera Scheibner has said that the chances of dying from wild measles are 0.03% while the chances of dying from atypical measles are between 12-15%. It was thought at one time that it was only the early inactivated vaccine that could cause atypical measles, but it is no known that any measles vaccine can. It seems that the vaccine perverts the immune process which may explain the reason why those who are vaccinated can get measles over and over without developing any natural immunity and may not be able to pass immunity onto their unborn child through the placenta.

In Post Vaccine Diseases of the Central Nervous System : Preliminary Results from the Mediterranean Journal of Surgery and Medicine Number 2 1996 On page 71...."Most vaccines have in their composition Thimerosal which has been the reported cause of neurologic and gastrointestinal (mainly related to the purinic nervous pathway) symptoms(6,7) These actions are not dose related."

"No batch of vaccine can be proved safe before it is given to children." -- Surgeon General of the United States, Leonard Scheele, addressing an AMA convention in 1955

"The only safe vaccine is a vaccine that is never used" -- Dr. James A. Shannon, National Institutes of Health

"In this article we begin to address the subject of vaccinosis, the general name for chronic disease caused by vaccines. For some readers the very idea that vaccines are anything but wonderful and life-saving may come as a surprise, and it's not a very pleasant one. After all, the general population pictures vaccines as one of modern medicine's best and brightest moments, saving literally millions from the scourge of diseases like poliomyelitis and smallpox." --Dr. Richard Pitcairn D.V.M., Ph.D

"Pumping more vaccines into the body without understanding such basics as how they'll affect immune system function over time borders on the criminal." --Nicholas Regush, ABCNEWS.com

In the United States during the period 1980-1985, 55 cases of paralytic polio were reported. Of these cases, 51 were caused by the oral vaccine and 4 occurred in people returning from developing countries. (Morbidity and Mortality Weekly Report (MMWR), published by the United States Center for Disease Control. International notes: Imported paralytic poliomyelitis - United States, 1986; 35, 671-674.)

Of the reported 18 cases of paralytic polio in 1977, three of the patients were persons who were in the United States but who were not residents, and 2 of the other 15 victims apparently contracted the disease abroad. Three cases occurred in recent vaccine recipients, and 10 cases had been in close contact with recently vaccinated people. Only 3 cases occurred in persons "without known vaccine association". (Journal of the American Medical Association (JAMA), January 23, 1978.)

A study undertaken at the University of California, Los Angeles, under the sponsorship of the Food and Drug Administration, and which has been confirmed by other studies, links DPT (diphtheria, pertussis, tetanus) vaccination, and more specifically the pertussis component, to sudden infant death syndrome (SIDS). This study found that 53 of 145 SIDS victims whose families were interviewed had received a DPT vaccination within 4 weeks. The authors conclude that "the excess of deaths in the 24 hours and first week following immunization and the absence of deaths in the fourth week following immunizations were significant." They call for more studies to substantiate their findings, despite the fact that this is already the third investigation, and all 3 have pointed in the same direction. (Pediatric Infectious Disease Journal, 1983. Possible temporal association between diphtheria - tetanus toxoid - pertussis vaccination and sudden infant death syndrome. Baraff, L.J., Ablon, W.J., Weiss, R.C.)

A report on 479 whooping cough patients in the US states that 60 percent of patients had received less than 3 doses of DPT vaccine, while the other 40 percent of victims had been fully vaccinated (three doses or more). (Weekly Report, Centers for Disease Control, July 2, 1982.)

Because of the obvious dangers of the whooping cough component of the DPT vaccine, physicians are assuring parents of the "safety" of the other two components of the triple antigen - diphtheria and tetanus (DT), although some doctors have a different view. "It is unnecessary to give a routine booster of diphtheria and tetanus vaccine every 10 years... The benefits of the procedure do not justify the risks." (Lancet, May 11, 1985. Mathias, R.G. and Schechter, M.T.)

A report on a study of 11 healthy individuals to determine the effects of routine tetanus booster vaccinations, showed that the vaccinations weaken the immune system of the recipients. (New England Journal of Medicine, January 19, 1984.)

As reported by a Chicago Board of Health, during an outbreak of diphtheria in Chicago in 1969, four of the 16 victims had been fully vaccinated against the disease, and 5 others had received one or more doses of the vaccine of which 2 of these showed evidence of "full immunity". (The People's Doctor, April 1978, Mendelsohn, R.)

A vast number of children who were injected with a killed measles vaccine between 1963 and 1968 in the United States are now subject, as young adults to what is called "atypical measles". This is a very severe form of the disease in which it appears that, because of the vaccination, there is an increased susceptibility to measles viruses, resulting from a damaged immune response. (JAMA, 1980, Vol. 1244, No. 8, pp. 804-806.)

A review of 1600 cases of measles in Quebec, Canada, between January and May 1989 revealed that 58 per cent of school-age cases had been previously vaccinated. (MMWR, Measles - Quebec. 1989; 38: 329-330.)

Since the widespread use of the mumps vaccine, the incidence of the disease has shifted to adolescents and adults who are much more susceptible to the complications of testicular and ovarian infection which can lead to sterility. During the period between 1967 and 1971 the annual average cases of mumps in persons greater or equal to 15 years of age was 8.3 percent; in 1987 this same age group accounted for 38.3 percent of cases, which is more than an eightfold increase. (MMWR, Mumps - United States, 1985-1988. 1989; 38: 101-105.)

The HEW reported in 1970 that as much as 26 percent of children receiving rubella vaccination, in national testing programs, developed arthralgia or arthritis. Many had to seek medical attention and some were hospitalized to test for rheumatic fever and rheumatoid arthritis. (Science, US, March 26, 1977.)

This vaccine has been shown to cause serious reactions including convulsions, anaphylactoid allergic reactions, serum sickness-like reactions and death. (Pediatrics, 1987, Milstien et al., 80: 270-274.)

A case-control study has shown that 41 percent of meningitis occurred in children vaccinated against the disease. The vaccine's protective efficacy was minus 58 percent. This means that children are much more likely to get the disease if they are vaccinated. (JAMA, 1988, Osterholm et al., 260: 1423-1428.)

"The apparent paradox is that as measles immunization rates rise to high levels in a population, measles becomes a disease of immunized persons." (Review article: 50 REFS. Dept. of Internal Medicine, Mayo Vaccine Research Group, Mayo Clinic and Foundation, Rochester, MN. Archives of Internal Medicine. 154(16):1815-20, 1994 Aug 22. )

Measles vaccination produces immune suppression which contributes to an increased susceptibility to other infections. Clinical Immunology and Immunopathology, May 1996; 79(2): 163-170.

Early in this century, the Philippines experienced their worst smallpox epidemic ever after 8 million people received 24.5 million vaccine doses; the death rate quadrupled as a result. (Physician William Howard Hay's address of June 25, 1937; printed in the Congressional Record)

"Our children face the possibility of death or serious long-term adverse effects from mandated vaccines that aren't necessary or that have very limited benefits" --Jane M. Orient, MD, AAPS (Association of American Physicians and Surgeons) Executive Director.

"There is insufficient evidence to support routine vaccination of healthy persons of any age." --Paul Frame, M.D., Journal of Family Practice

"Official data shows that large scale vaccination has failed to obtain any significant improvement of the diseases against which they were supposed to provide protection" --Dr Sabin, developer of Polio vaccine.

"All vaccination has the effect of directing the three values of the blood into or toward the zone characteristics of cancer and leukemia...Vaccines do predispose to cancer and leukemia." --Professor L.Vincent - founder of Bioelectronics

"You medical people will have more lives to answer for in the other world than even we generals." - Napoleon Bonaparte

"The pharmaceutical corporations are engaged in the systematic corruption of the medical profession, country by country" - John le Carré

Questions to ask Vaccination Advocates.

Dr. Michel Odent has linked asthma to the whooping cough vaccine. Have you read his research? What do you think?

Professor Wakefield (UK) has linked autism and crohns disease to the measles, mumps and rubella vaccine. What do you think? What evidence do you have to back up your opinions?

Why is the same dose of vaccines given to a two month old as for a 5 year old?

Are you aware that Japan changed the start time for vaccinating from 3 months to two years and straight away their SIDS rate plummeted?

Do you believe in herd immunity? If so, how is it that 98% of U.S.A. children are vaccinated yet they still have outbreaks of these diseases?

Most diseases were already 90% gone before any vaccines were introduced, If this is so, how can vaccines be applauded for diseases ceasing, especially when there were no vaccines for some diseases like bubonic plague and scarlet fever?

How can an unvaccinated child be more of a risk than a vaccinated child if neither have the disease? Surely it would be the other way around in the case of the live virus vaccines? These children are assured of having the virus in their bodies to spread.

How can the Tetanus vaccine induce immunity, when contracting the disease naturally does not give immunity?

If the "so called" diphtheria vaccine, which is in fact a toxoid, works against the toxin produced by the bacteria, and not against the bacteria itself, then how did this "vaccine" help in the decline in diphtheria?

### - A few more quotes -

#### QUOTES FROM MEDICAL DOCTORS ON VACCINES:

"When I was training, one in 2,500 [children were autistic]. Now it is one in 250. At the moment, the only logical explanation for this is MMR." -- Dr Kenneth Aitken, British specialist in the treatment of autism. (The Telegraph, United Kingdom, April 2, 2002)

"By the (U.S.) government's own admission, there has been a 41% failure rate in persons who were previously vaccinated against the (measles) virus." -- Dr. Anthony Morris, John Chriss, BG Young, "Occurrence of Measles in Previously Vaccinated Individuals," 1979; presented at a meeting of the American Society for Microbiology at Fort Detrick, Maryland, April 27, 1979.

"There is no evidence that any influenza vaccine thus far developed is effective in preventing or mitigating any attack of influenza. The producers of these vaccines know that they are worthless, but they go on selling them, anyway." -- Dr. J. Anthony Morris (formerly Chief Vaccine Control Officer at the US Federal Drug Admin.)

"Our results suggest that infants whose mothers are born since measles vaccine licensure in 1963 are significantly more susceptible to measles than are infants of older mothers and that the risk of measles increases incrementally with each year increase in the maternal year of birth." -- "Increased Susceptibility to Measles in Infants in the United States," Pediatrics, Nov. 5, 1999.

The strong association between vaccination with RRV-TV and intussusception among otherwise healthy infants supports the existence of a causal relation. -- Intussusception among infants given an oral rotavirus

vaccine., Murphy TV, et al. Epidemiology and Surveillance Division, National Immunization Program, Centers for Disease Control and Prevention, N Engl J Med. 2001 Feb 22;344(8):564-72.

"The (Illinois) department followed the recommendation of a panel of experts, its Immunization Advisory Committee, while rejecting the advice of others who thought the decision should be left to parents and pediatricians. But in what critics consider a conflict of interest, 5 of the committee's 18 members have financial ties to Merck, which makes the chickenpox vaccine. Two members of the committee have given talks for Merck, receiving up to \$750 per speech. A third member directs a nonprofit group that has received \$20,000 in grant money from the company. And two other members own stock in Merck, including one who has owned as much as \$16,000 worth." - (Sun Times, January 27, 2002)

### - Links to Great Quotes -

- [Evidence Against Vaccines \[Vaclib site\]](#)
- [Whale.to site: Wonderful MMR vaccine quotes](#)  
<http://www.whale.to/vaccine/mmr49.html>  
The last "safe" MMR vaccine  
"I believe the documents clearly reveal how the central government hid undesirable data and delayed discontinuation of the (MMR) vaccine," lawyer Tatsuro Shigemura said."--Media 2002  
**"The conclusion of the research report was: Children who received all of the AAP recommended vaccinations were 14 times more likely to become learning disabled and 8 times more likely to become autistic compared with children who were never vaccinated.**
- [Whale.to Site: www.whale.to/vaccine/quotes3.html](#)  
[more quotes about vaccines from many people.](#)
- <http://www.whale.to/m/quotes28.html> [Cancer & vaccination quotes](#)
- <http://www.whale.to/vaccines/cancer.html> [Cancer & Vaccines \[Index of articles\]](#)
- [CDC Quotes: http://www.whale.to/vaccines/cdc.htm](http://www.whale.to/vaccines/cdc.htm)
- <http://webhome.idirect.com/~born2luv/immunization.html>  
[The Immunization Debate Will you vaccinate your child or not?](#)  
...measles, mumps, small pox, polio and Hib outbreaks have all occurred in highly vaccinated populations, in fact, a measles outbreak occurred in a US Centre for Disease Control-documented 100% vaccinated population;  
...childhood diseases decreased 90% between 1850 and 1940 in the US, paralleling improved sanitation, hygienic practices and nutrition well before mandatory vaccination programs;
- [http://www.emergingworlds.com/ch\\_vaccines.cfm](http://www.emergingworlds.com/ch_vaccines.cfm)  
[Vaccination Quotes from Doctors and Scientists](#)  
Dr Mendelsohn, M.D., Dr Kalokerinos, M.D., The Hope Project (Ireland), Guylaine Lanctot M.D. , Jonas Salk, Harris Coulter., The Lancet, Prof. G. Stewart, Virology, Science, US, March 26, 1977, JAMA, 1988  
  
A case-control study has shown that 41 percent of meningitis occurred in children vaccinated against the disease. The vaccine's protective efficacy was minus 58 percent. This means that children are much more likely to get the disease if they are vaccinated. (JAMA, 1988, Osterholm et al., 260: 1423-1428.) Jonas Salk, inventor of the IPV, testified before a Senate subcommittee that nearly all polio outbreaks since 1961 were caused by the oral polio vaccine.
- [More quotes - Autism Articles NZ Newsletter -Large Page-](#)  
[What Your Doctor Will Never Tell You -Special on Vaccination.](#)
- [Another page of Favorite Vaccination quotes](#)
- [Otitis Media - - http://www.whale.to/vaccine/otitis.html](http://www.whale.to/vaccine/otitis.html)
- <http://home1.gte.net/res0k62m/mdaq.htm> - - [Medical Dark Ages Quotes](#)  
A very large file of quotes regarding the medical and pharmaceutical industry.

- <http://www.vernoncoleman.com/vaccines.htm> - - **Dr. Vernon Coleman MB**  
"My own personal view is that vaccines are unsafe and worthless. I will not allow myself to be vaccinated again. ....The bottom line is that infectious diseases are least likely to affect (and to kill) those who have healthy immune systems. I no longer believe that vaccines have any role to play in the protection of the community or the individual. Vaccines may be profitable but, in my view, they are neither safe nor effective. I prefer to put my trust in building up my immune system."---Dr Vernon Coleman MB
- **Authorities Speak Out:** <http://www.novaccine.com/authorities-speakout/index.asp?s=2&p=1>  
"Only about 15% of medical interventions are supported by solid scientific evidence... This is partly because only 1% of the articles in medical journals are scientifically sound and partly because many treatments have never been assessed at all."  
**Richard Smith, M.D. Editor of the British Medical Journal**